

Label dispenser machine series

Model: BDR-218C



Model: BDR-218C

Description: Label dispenser machine

Features:

- 1, The electronic control system: automatic stripping, labels, smooth, no wrinkles;
- 2, Remove the first label, after the second label is sent out automatically, small labels can row and more Columns, peel finish at a time.
- 3, Simple operation, more than one

machine can be used, the efficiency multiplier, interval, or the whole volume of type or continuously

Bar codes are applicable;

4, Automatic counting, 0999999, convenient automation production management;

5, The types of tags: adhesive labels, barcode anti-counterfeiting, laser, packaging labels, etc.;

6, Applicable industry: electronics manufacturing industry, chemical industry, food processing industry, logistics industry.

Parameters

Model	BDR-218C
Label length	5-150mm
Label width	5-120mm, 5180mm
Seperate speed	250cm/min
Max.OD of roll	Max 200mm
Dispenser speed	(0-8) m/min Stepless adjustable
Max.ID of roll	Min 20mm
Rated power	15W
Power	220V/50Hz
Weight	4kg
Package Size	260*290*260mm

Model: BDR-118C



automation production management;

5, The types of tags: adhesive labels, barcode, anti-counterfeiting, laser, packaging labels, etc.;

6, Applicable industry: electronics manufacturing industry, chemical industry, food processing industry, logistics industry.

Model: BDR-118C

Description: Label dispenser machine

Features:

1, The electronic control system: automatic stripping, labels, smooth, no wrinkles;

2, Remove the first label, after the second label is sent out automatically, small labels can row and more

Columns, peel finish at a time.

3, Simple operation, more than one machine can be used, the efficiency multiplier, interval, or the whole volume of type or continuously

Bar codes are applicable;

4, Automatic counting, 0-999999, convenient

Parameters

Model	BDR-118C
Label length	5-150mm
Label width	5-180mm
Seperate speed	250cm/min
Max.OD of roll	Max 200mm
Dispenser speed	(0-8) m/min Stepless adjustable
Max.ID of roll	Min 20mm
Rated power	15W
Power	220V/50Hz
Weight	4kg
Package Size	260*290*260mm

Model:BDL-1150D



Model: BDL-1150D

Description: Label dispenser machine

Features:

- 1, Independent of the traction institutions, reduce the vibration motor traction directly, delay Long motor life
- 2, Labeling stripping smoothly, be stripping level off, not wrinkle, workers Take the convenience;
- 3, Easy to use, simple maintenance, the comparison shows that can be independent operation;
- 4, Traction enough, can one-time stripping a row or multiple row labels;
- 5, Have label counting function, the standard length adjustment function;

Parameters

Model	BDL-1150D
Label length	4-60mm
Label width	6-140mm
Max.ID of roll	Under 25/50mm
Max.OD of roll	Under 25/50mm
Power	220V/50Hz
Weight	4.5kg
Package Size	210*210*220mm

Model: BDX-100



Model: BDX-100

Description Label dispenser machine

Features:

- 1, low failure rate, easy to use, compact easy to lay.
- 2, electronic control system, automatic stripping, label smooth, no wrinkles.
- 3, the operation is simple, use more than one machine.
- 4, automatic meter 9 number 99099-9, convenient for production management automation.
- 5, the types of tags: adhesive labels, barcode, anti-counterfeiting laser,

packaging label, etc.

6, applicable industry: electronics manufacturing industry, chemical industry, food processing industry, logistics industry.

Parameters

Model	BDX-100
Label width	5-100mm
Seperate speed	130mm/sec
Max.OD of roll	250mm
Power	220V/50Hz
Weight	3.6kg
Package Size	136×174×280mm

Model: BDX-130



Model: BDX-130

Description:

Features:

1. low failure rate, easy to use, compact easy to lay.
2. electronic control system, automatic stripping, label smooth, no wrinkles.
3. the operation is simple, use more than one machine.
4. automatic meter 9 number 99099-9, convenient for production management automation.
5. the types of tags: adhesive labels, barcode, anti-counterfeiting, laser, packaging label, etc.

6, applicable industry: electronics manufacturing industry, chemical industry, food processing industry, logistics industry.

Parameters

Model	BDX -130
Label width	5-130mm
Seperate speed	130mm/sec
Max.OD of roll	250mm
Power	220V/50Hz
Weight	4.1kg
Package Size	166×174×280mm